



Condition : EN300220 433MHZ TRAN 3m HORIZONTAL
 EUT/Model : RFM22-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
432.550	16.56	10.38	0.00	-23.54	3.39	-36.00	39.39
867.110	22.78	10.73	0.00	-79.82	-46.32	-36.00	-10.32




Condition : EN300220 433MHZ TRAN 3m VERTICAL
 EUT/Model : RFM22-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
432.550	16.56	10.38	0.00	-15.08	11.86	-36.00	47.86
867.110	22.78	10.73	0.00	-75.61	-42.10	-36.00	-6.10



Condition : EN300220 TX ABOVE 1 3m ANT3117 (>1G) o1 HORIZONTAL
 EUT/Model : RFM22-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1280.000	26.37	4.50	39.48	-41.75	-50.36	-30.00	-20.36
2168.000	29.18	5.52	38.93	-51.24	-55.47	-30.00	-25.47
2592.000	30.69	6.06	38.99	-53.97	-56.21	-30.00	-26.21
3456.000	32.49	7.25	39.54	-45.71	-45.51	-30.00	-15.51
4320.000	33.57	8.79	39.87	-54.45	-51.96	-30.00	-21.96
5184.000	34.75	11.56	41.19	-58.33	-53.21	-30.00	-23.21



Condition : EN300220 TX ABOVE 1 3m ANT3117 (>1G) o1 VERTICAL
 EUT/Model : RFM22-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1280.000	26.37	4.50	39.48	-39.13	-47.74	-30.00	-17.74
2168.000	29.18	5.52	38.93	-48.95	-53.18	-30.00	-23.18
2592.000	30.69	6.06	38.99	-49.81	-52.05	-30.00	-22.05
3456.000	32.49	7.25	39.54	-48.74	-48.54	-30.00	-18.54
4320.000	33.57	8.79	39.87	-50.90	-48.41	-30.00	-18.41
5184.000	34.75	11.56	41.19	-57.10	-51.98	-30.00	-21.98