



Condition : EN300220 868MHZ TRAN 3m HORIZONTAL
 EUT/Model : RFM23-869
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
867.110	22.78	10.73	0.00	-24.92	8.59	-36.00	44.59




Condition : EN300220 868MHZ TRAN 3m VERTICAL
 EUT/Model : RFM23-869
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
867.110	22.78	10.73	0.00	-24.92	8.59	-36.00	44.59



Condition : EN300220 TX ABOVE 1 3m ANT3117 (>1G) o1 HORIZONTAL
 EUT/Model : RFM23-869
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1728.000	27.80	5.21	39.65	-50.53	-57.17	-30.00	-27.17
2592.000	30.69	6.06	38.99	-47.01	-49.26	-30.00	-19.26
3456.000	32.49	7.25	39.54	-62.67	-62.48	-30.00	-32.48
4344.000	33.61	8.85	40.25	-57.35	-55.15	-30.00	-25.15



Condition : EN300220 TX ABOVE 1 3m ANT3117 (>1G) o1 VERTICAL
 EUT/Model : RFM23-869
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1728.000	27.80	5.21	39.65	-45.93	-52.57	-30.00	-22.57
2592.000	30.69	6.06	38.99	-44.33	-46.58	-30.00	-16.58
3456.000	32.49	7.25	39.54	-58.61	-58.41	-30.00	-28.41
4344.000	33.61	8.85	40.25	-50.27	-48.06	-30.00	-18.06