


Condition : FCC PART 15 3m HORIZONTAL
 EUT/Model : RFM12B-434
 Job No. :
 Test Mode :


Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
433.976	16.59	2.35	0.00	66.59	85.52	80.00	5.52
867.951	22.85	3.48	0.00	18.77	45.09	60.00	-14.93

Data:
Level (dBuV/m)



Condition : FCC PART 15 3m VERTICAL
 EUT/Model : RFM12B-434
 Job No. :
 Test Mode :


Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamplifier Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
433.976	16.59	2.35	0.00	73.33	92.26	80.00	12.26
867.951	22.85	3.48	0.00	26.75	53.07	60.00	-6.93



Condition : FCC PART15 (>1G) PK 3m HORIZONTAL
 EUT/Model : RFM12B-434
 Job No. :
 Test Mode :

Frequency	Cable Loss	Antenna Factor	Preamp Factor	Read Level	level	Limit Line	Over Limit
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB

Data:
Level (dBuV/m)



Condition : FCC PART15 (>1G) PK 3m VERTICAL
 EUT/Model : RFM12B-434
 Job No. :
 Test Mode :

Frequency MHz	Cable Loss dB	Antenna Factor dB/m	Preamp Factor dB	Read Level dBuV	level dBuV/m	Limit Line dBuV/m	Over Limit dB
1209.000	26.30	4.57	39.36	52.52	43.88	74.00	-30.12