


Data: 5 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART15 CLASS B 3m VULB9163-2012 VERTICAL
 EUT : RFM22B-433MHz (5dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	Read	Antenna	Cable	Preamp	Limit	Over	
Freq	Level	Factor	Loss	Factor	Line	Limit	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB
1 * 433.9600	118.41	15.58	0.85	32.07	102.77	46.00	56.77 Peak
2 * 867.9000	65.80	21.11	1.66	31.47	57.10	46.00	11.10 QP

Data: 6 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART15 CLASS B 3m VULB9163-2012 HORIZONTAL
 EUT : RFM22B-433MHz (5dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	ReadAntenna	Cable Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 * 433.9600	106.12	16.12	0.85	32.07	91.02	46.00	45.02	Peak
2 867.9000	50.28	24.02	1.66	31.47	44.49	46.00	-1.51	QP

Data: 7 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) HORIZONTAL
 EUT : RFM22B-433MHz (5dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	ReadAntenna	Cable Preamp		Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 1302.0000	50.44	25.63	2.10	31.76	46.41	74.00	-27.59	Peak
2 1736.0000	48.38	25.05	2.38	31.21	44.60	74.00	-29.40	Peak
3 2606.0000	48.21	27.82	2.97	31.02	47.98	74.00	-26.02	Peak

Data: 8 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) VERTICAL
 EUT : RFM22B-433MHz (5dBm)
 Model :
 Test Mode :
 Power Rating :
 Test Engineer: Hans
 Remark :

	Read	Antenna	Cable	Preamp	Limit	Over		
Freq	Level	Factor	Loss	Factor	Line	Limit	Remark	
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 1302.0000	55.77	25.63	2.10	31.76	51.74	74.00	-22.26	Peak
2 1736.0000	52.32	25.05	2.38	31.21	48.54	74.00	-25.46	Peak
3 2606.0000	49.02	27.82	2.97	31.02	48.79	74.00	-25.21	Peak

Data: 9 File: E:\Test data\HHOPERF\Test data.EM6 (53)


Date: 2012-04-17



Site : 3m chamber
Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) VERTICAL
EUT : RFM22B-433MHz (5dBm)
Model :
Test Mode :
Power Rating :
Test Engineer: Hans
Remark :

Data: 10 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17



Site : 3m chamber
Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) HORIZONTAL
EUT : RFM22B-433MHz (5dBm)
Model :
Test Mode :
Power Rating :
Test Engineer: Hans
Remark :