


Data: 20 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber  
 Condition : FCC PART15 CLASS B 3m VULB9163-2012 VERTICAL  
 EUT : RFM23B-433MHz (4dBm)  
 Model :  
 Test Mode :  
 Power Rating :  
 Test Engineer: Hans  
 Remark :

	ReadAntenna	Cable Preamp	Limit	Over				
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 * 433.9600	118.67	15.58	0.85	32.07	103.03	46.00	57.03	Peak
2 * 867.8000	65.74	21.11	1.66	31.47	57.04	46.00	11.04	Peak

Data: 21 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber  
 Condition : FCC PART15 CLASS B 3m VULB9163-2012 HORIZONTAL  
 EUT : RFM23B-433MHz (4dBm)  
 Model :  
 Test Mode :  
 Power Rating :  
 Test Engineer: Hans  
 Remark :

	ReadAntenna	Cable Preamp	Limit	Over					
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark	
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB		
1 *	434.0651	108.06	16.12	0.85	32.07	92.96	46.00	46.96	Peak
2	869.1302	47.87	24.02	1.66	31.47	42.08	46.00	-3.92	Peak

Data: 40 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber  
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) VERTICAL  
 EUT : RFM23B-434MHz (4dBm)  
 Model :  
 Test Mode :  
 Power Rating :  
 Test Engineer: Hans  
 Remark :

	Read	Antenna	Cable	Preamp	Limit	Over	
Freq	Level	Factor	Loss	Factor	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB
1 1302.0000	49.95	25.63	2.10	31.76	45.92	74.00	-28.08 Peak

Data: 41 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber  
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) HORIZONTAL  
 EUT : RFM23B-434MHz (4dBm)  
 Model :  
 Test Mode :  
 Power Rating :  
 Test Engineer: Hans  
 Remark :

	Read	Antenna	Cable	Preamp	Limit	Over	
Freq	Level	Factor	Loss	Factor	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB
1 1302.0000	44.31	25.63	2.10	31.76	40.28	74.00	-33.72 Peak

Data: 42 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17




Site : 3m chamber  
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) VERTICAL  
 EUT : RFM23B-434MHz (4dBm)  
 Model :  
 Test Mode :  
 Power Rating :  
 Test Engineer: Hans  
 Remark :

	ReadAntenna	Cable	Preamp	Limit	Over			
Freq	Level	Factor	Loss	Factor	Level	Line	Limit	Remark
-----	-----	-----	-----	-----	-----	-----	-----	-----
MHz	dBuV	dB/m	dB	dB	dBuV/m	dBuV/m	dB	
1 3472.0000	42.57	28.90	3.56	28.15	46.88	74.00	-27.12	Peak
2 4340.0000	36.83	30.88	4.12	25.11	46.72	74.00	-27.28	Peak

Data: 43 File: E:\Test data\HHOPERF\Test data.EM6 (53)

Date: 2012-04-17



Site : 3m chamber  
 Condition : FCC PART 15 (PK) 3m BBHA9120D ANT(>1GHZ) HORIZONTAL  
 EUT : RFM23B-434MHz (4dBm)  
 Model :  
 Test Mode :  
 Power Rating :  
 Test Engineer: Hans  
 Remark :

	ReadAntenna	Cable Preamp	Limit	Over				
Freq	Level	Loss	Factor	Line	Limit			
MHz	dBuV	dB/m	dB	dB	dB			
1 3070.0000	38.19	28.67	3.28	29.68	40.46	74.00	-33.54	Peak
2 3472.0000	39.48	28.90	3.56	28.15	43.79	74.00	-30.21	Peak